UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,359	10/30/2003	Aditya Mohan	200208216-1	2528
	7590 04/02/200 CKARD COMPANY	9	EXAMINER	
P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION			HOSSAIN, TANIM M	
	NS, CO 80527-2400		ART UNIT	PAPER NUMBER
			2445	
			NOTIFICATION DATE	DELIVERY MODE
			04/02/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM ipa.mail@hp.com jessica.l.fusek@hp.com

	Application No.	Applicant(s)
	10/699,359	MOHAN ET AL.
Office Action Summary	Examiner	Art Unit
	Tanim Hossain	2445
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLEWHICHEVER IS LONGER, FROM THE MAILING DEVICE - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tind I will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 25 € This action is FINAL . 2b) This 3) Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4) Claim(s) 1-25 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-25 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examin	awn from consideration. or election requirement.	
10) ☐ The drawing(s) filed on 5/6/04 is/are: a) ☐ ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1/20/04.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate

DETAILED ACTION

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 16-20, 24, and 25 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Claims 16-20 may be disclosed as transmission media, which constitutes non-statutory subject matter. Claims 24 and 25 may be implemented as software per se, also non-statutory subject matter.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bosley (U.S. 2003/0126122) in view of Hobart (U.S. 2002/0178255).

As per claim 1, Bosley teaches a processor-implemented method for searching for a data object in a plurality of nodes forming a peer-to-peer network, the method comprising: forming

Art Unit: 2445

Bloom-Filters at the nodes as a function of data available via the nodes (paragraphs 0008-0013, 0090, 0105); communicating the Bloom-filters between peer-to-peer coupled nodes of the peerto-peer network that have formed connections to control whether one node connects to another node (0105, 0112-0114); forming a search expression for locating the data object (0008-0013); selecting nodes to propagate the search expression as a function of the Bloom-filters (0105, 0112-0114); propagating the search expression to the selected nodes (0112-0114); and outputting a result of the search expression from nodes that satisfy the search expression (0112-0114). Bosley does not specifically teach that the peer connections are formed and selected based on incentive-based criteria. Hobart teaches the forming of a peer network through incentives, and that peer-to-peer communication is selected between peers based on an incentive to do so (paragraphs 0007-0010, 0013, 0053). It would have been obvious to one of ordinary skill to combine the incentive-driven peer selection with the Bloom-filter driven peer matching system, as taught by Hobart in the system of Bosley. The motivation for doing so lies in the fact that having an incentive would attract more users to join the peer network, increasing its utility. Further, incentive based peer networks are well known in the art, and to implement this concept into the peer system of Bosley would have been envisioned by one of ordinary skill. Both inventions are from the same field of endeavor, namely increasing efficiency in peer-to-peer networks.

As per claim 2, Bosley-Hobart teaches the method of claim 1, wherein forming respective Bloom filters at the nodes includes combining Remote Bloom-filters (RBFs) received from peer-to-peer coupled nodes of the respective nodes (Bosley: 0105, 0112-0114).

As per claim 3, Bosley-Hobart teaches the method of claim 1, wherein selecting the nodes includes forming a query Bloom-filter based on the search expression and comparing the query Bloom-filter to the respective Bloom-filters (Bosley: 0105, 0112-0114).

As per claim 4, Bosley-Hobart teaches the method of claim 3, wherein comparing the query Bloom-filter to the respective Bloom-filters includes forming a ranking associated with respective Bloom-filters as a sum of bits of the query Bloom-filter that match the bits of the respective Bloom-filter (Bosley: 0090, 0105, 0112-0114).

As per claim 5, Bosley-Hobart teaches the method of claim 3, wherein comparing the query Bloom-filter to the Bloom-filters includes forming a ranking associated with respective Bloom-filters as a count of bits of the query Bloom-filter that match the bits of the respective Bloom-filter (Bosley: 0112-0114, 0168-0170, 0173).

As per claim 6, Bosley-Hobart teaches the method of claim 1, wherein forming the respective Bloom filters at the nodes includes forming the respective Bloom filters as a function of a local Bloom-filter based on data locally accessible by the respective nodes (Bosley: 0090, 0105, 0112-0114).

As per claim 7, Bosley-Hobart teaches the method of claim 1, wherein the peer-to-peer network comprises a Gnutella network (Hobart: 0056).

As per claim 8, Bosley-Hobart teaches a system comprising: a plurality of data processors coupled via a peer-to-peer network arrangement, each data processor including: a network interface arranged to provide one or more respective connections with one or more associated data processor of the peer-to-peer network arrangement, the connections formed using an incentive-based criteria (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013,

Art Unit: 2445

0053); a memory for storing one or more respective remote Bloom filters representing data accessible via the associated connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); and a processing unit arranged to: form a query Bloom-filter based on a data query; select a subset of the connections as a function of the query Bloom-filter and the respective remote Bloom-filters associated with the connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); and send the data query to the subset of the connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 9, Bosley-Hobart teaches the system of claim 8, wherein at least one data processor of the plurality of data processors further includes a local data storage adapted for storing data objects (0209).

As per claim 10, Bosley-Hobart teaches the system of claim 9, wherein the memory of the at least one data processor is configured for storing a local Bloom-filter representing data accessible via the local data storage (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 11, Bosley-Hobart teaches the system of claim 8, wherein the processing units of the data processors are further arranged to publish a Bloom-filter to a selected connection of the one or more connections, the Bloom-filter representing data accessible via the respective data processors (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 12, Bosley-Hobart teaches the system of claim 11, wherein the Bloom filter is formed as a logical OR of the remote Bloom filters of the respective data processors except for

Art Unit: 2445

the remote Bloom filter associated with the selected connection (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 13, Bosley-Hobart teaches the system of claim 11, wherein at least one data processor of the plurality of data processors further includes a local data storage adapted for storing data, and the memory of the at least one data processor is configured for storing a local Bloom-filter representing data accessible via the respective local data storage (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 14, Bosley-Hobart teaches the system of claim 13, wherein the Bloom filter is formed as a logical OR the local Bloom-filter; Bosley: (0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053) and the remote Bloom filters of the respective data processor except for the remote Bloom filter associated with the selected connection (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 15, Bosley-Hobart teaches the system of claim 8, wherein the peer-to-peer network arrangement includes a Gnutella network arrangement (Hobart: 0056).

As per claim 16, Bosley-Hobart teaches a computer-readable medium having instructions stored thereon which are executable on a processor for performing steps comprising: forming one or more respective peer-to-peer connections with one or more network peers of the processor using an incentive-based criteria (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); receiving respective remote Bloom-filters representing data accessible via associated peer-to-peer connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); forming a query Bloom-filter based on a data query (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); selecting a subset of the peer-to-peer connections

as a function of the query Bloom-filter and the respective remote Bloom filters associated with the peer-to-peer connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); and sending the data query to the subset of the connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 17, Bosley-Hobart teaches the computer-readable medium of claim 16, wherein the steps further include forming a local Bloom-filter based on data accessible via a local data storage of the processor (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 18, Bosley-Hobart teaches the computer-readable medium of claim 16, wherein the steps further include sending a Bloom-filter to a selected peer-to-peer connection of the one or more peer-to-peer connections indicating data accessible via the processor (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 19, Bosley-Hobart teaches the computer-readable medium of claim 18, wherein the Bloom filter is formed as a logical OR of the remote Bloom filters of the processor except for the remote Bloom filter associated with the selected peer-to-peer connection (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

As per claim 20, Bosley-Hobart teaches the computer-readable medium of claim 11, wherein the peer-to-peer connections utilize a Gnutella protocol (Hobart: 0056).

As per claim 21, Bosley-Hobart teaches a method for updating a Bloom-filter array having a plurality of bits that indicate data accessible via a peer-to-peer network, comprising: associating respective counters with the bits of the Bloom-filter array (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); receiving a Bloom-filter update having a plurality

of bits associated with the bits of the Bloom-filter array that indicate a change in the data accessible via the peer- to-peer network (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); changing the respective counters based on the associated bits of the Bloom-filter update (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); setting the bits of the Bloom-filter array to zero where the respective counters associated with the bits are zero (Bosley: 0210); and setting the bits of the Bloom-filter array to one where the respective counters associated with the bits are greater than zero (Bosley: 0210).

As per claim 22, Bosley-Hobart teaches the method of claim 21, wherein the Bloom-filter update indicates data added to the peer-to-peer network, and changing the counters based on the bits of the Bloom-filter update includes incrementing all counters associated with non-zero bits of the Bloom-filter update (0170).

As per claim 23, Bosley-Hobart teaches the method of claim 21, wherein the Bloom-filter update indicates data removed from the peer-to-peer network, and changing the counters based on the bits of the Bloom-filter update includes decrementing all counters associated with non-zero bits of the Bloom-filter update (Bosley: 0112-0114).

As per claim 24, Bosley-Hobart teaches a data processing arrangement, comprising: means for storing data objects (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); means for forming respective peer-to-peer data connections with one or more network peers using an incentive-based criteria (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); means for storing remote Bloom-filters associated with respective peer-to-peer data connections, the Bloom-filters indicating data accessible via the respective peer-to-peer data connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053);

means for forming a query for locating one or more data objects of the network peers (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053); and means for sending the query to a subset of the peer-to-peer data connections as a function of the query and the Bloom filters associated with the respective peer-to-peer data connections (Bosley: 0112-0114, 0168-0170, 0173; Hobart: 0007-0010, 0013, 0053).

Page 9

As per claim 25, Bosley-Hobart teaches the data processing arrangement of claim 24, wherein the peer-to-peer data connections utilize a Gnutella protocol (Hobart: 0056).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tanim Hossain whose telephone number is (571)272-3881. The examiner can normally be reached on 8:30 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenton Burgess can be reached on 571/272-3949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/699,359 Page 10

Art Unit: 2445

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tanim Hossain
Patent Examiner
Art Unit 2445
/Larry D Donaghue/
Primary Examiner, Art Unit 2454